

Opioid-Induced Hyperalgesia (OIH) References

Brian Johnson M.D.

Assoc Prof Psychiatry and Anesthesia
SUNY Upstate Medical University

References

- Aguado D, Abreu M, Benito J, Garcia-Fernandez J, Gomez de Segura IA. The effects of gabapentin on acute opioid tolerance to remifentanyl under sevoflurane anesthesia in rats.
- Angst MS, Chu LF, Clark JD. Overview on clinical features of opioid-induced hyperalgesia. Ed: J.Mao, Opioid-Induced Hyperalgesia NY:Informa. Pp 21-37.
- Brennan F, Carr DB, Cousins M. Pain Management: a fundamental human right. *Anesth analg* 2007;105:205-21.
- Célérier E, Laulin JP, Corcuff JB, LeMoal M, Simonnet G. Progressive enhancement of delayed hyperalgesia induced by repeated heroin administration: a sensitization process. *J. Neurosci.* 2001; 21:4074–4080.

References

- Chapman CR, Davis J, Donaldson GW, Naylor J, Winchester D. Postoperative pain trajectories in chronic pain patients undergoing surgery: the effects of chronic opioid pharmacotherapy on acute pain. *The J of Pain* 2011;12:1240-6.
- Chu LF, Clark DJ, Angst MS. Opioid tolerance and hyperalgesia in chronic pain patients after one month of oral morphine therapy: a preliminary prospective study. *Pain* 2006;7:43-48.
- Chu LF, Cun T, Ngai LK, Kim JE, Zamora, AK, Youg CA, Angst MS, Clark DJ. Modulation of remifentanyl-induced postinfusion hyperalgesia by the beta blocker propranolol in humans. *Pain* 2012;153:974-81.
- Compton P, Canamar CP, Hillhouse M, Ling W. Hyperalgesia in heroin dependent patients and the effects of opioid substitution therapy. *The J of Pain* 2012;13:401-9.

References

- Crooks M, Cohen SP. Managing opioid-induced hyperalgesia in the perioperative period. Ed: J.Mao, Opioid-Induced Hyperalgesia NY:Informa. Pp 103-23.
- Hay JL, White JM, Bochner F, Somogyi AA, Semple TJ, Rounsefell B. Hyperalgesia in opioid-managed chronic pain and opioid-dependent patients. *The J of Pain* 2009;10:316-22.
- Hong BH, Wang YL, Kim YH, Yoon SH, Lee WH. Effects of intraoperative low dose ketamine on remifentanyl-induced hyperalgesia in gynecologic surgery with sevoflurane anesthesia. *Korean J Anesthesiology* 2011;61:238-43.
- Huxtable CA, Roberts LJ, Somogyi AA, Macintyre PR. Acute pain management in opioid-tolerant patients: a growing challenge. *Anaesthesia and Intensive Care* 2011;39:804-23.

References

- Johnson B, Perry, JC. The relationship between depression and the dexamethasone suppression test following alcohol withdrawal in a psychiatric population. *J.Clin.Psychopharm.* 1986;6:343-9.
- Johnson, B. A 'neuropsychanalytic' treatment of a patient with cocaine dependence. *Neuropsychanalysis* 2009;11:151-67.
- Koob GF, LeMoal ML. Drug addiction: dysregulation of reward, and allostasis. *Neuropsychopharmacology* 2001;24:97-129.
- Ling W, Compton P. Challenging clinical issues on the interaction between addiction and hyperalgesia. Ed: J.Mao, Opioid-Induced Hyperalgesia NY:Informa. Pp74-94.
- Mao J. Overview of opioid-induced hyperalgesia. Ed: J.Mao, Opioid-Induced Hyperalgesia NY:Informa. Pp 1-8.

References

- Miller NS, Swiney T, Barkin RL. Effects of opioid prescription medication dependence and detoxification on pain perceptions and self-reports. *AmJTher* 2006;13:436-44.
- Paulozzi LJ, Weisler RH, Patkar AA. A national epidemic of unintentional prescription opioid overdose deaths: how physicians can help control it. *J Clin Psychiatry* 2011;72:589-92.
- Ren Z-Y, Shi J, Epstein DH, Wang J, Lu L. Abnormal pain response in pain-sensitive opiate addicts after prolonged abstinence predicts increased drug craving. *Psychopharmacology* 2009; DOI 10.1007/s00213-009-1472-0.
- Rosenblum A, Fong JH, Kipnis S, Cleland C, Potenoy RK. Prevalence and characteristics of chronic pain among chemically dependent patients in methadone maintenance and residential treatment facilities. *JAMA* 2003;289:2370-8.

References

- Sehgal N, Smith H, Manchikanti L. Peripherally acting opioids and clinical implications for pain control. *Pain Physician* 2011;14:249-58.
- Ueda H. Cellular mechanisms underlying morphine analgesic tolerance and hyperalgesia. Ed: J.Mao, Opioid-Induced Hyperalgesia NY:Informa. Pp 9-20.
- Wall Street Journal, Catan P, Perez E. A pain-drug champion has second thoughts. 12/14/12.
- White JM. Pleasure into pain: The consequences of long-term opioid use. *Addictive Beh* 2004;29:1311-24.
- Younger JW, Chu LF, D'Arcy NT, Trott KE, Jastrzab LE, Mackey SC. Prescription opioid analgesics rapidly change the human brain. *Pain* 2011;152:1803-10.