Buprenorphine Initiation Note

□ Patient presents for in-clinic initiation

Evaluated using COW scale?
Yes
No

Scored_____on COW Scale First Assessment

*If patient scored < 13 on COWS and/or reported illicit opioid use within 24 hours, do not proceed with in-clinic initiation and consult OBAT provider for altered treatment plan including at home initiation.

Patient self-administered _____mg sublingually as prescribed

□ Assessed and instructed patient in proper administration □ Patient observed to tolerate medication

Summary 1: COW Scale First Assessment

Resting Pulse Rate

- \Box 0 = pulse rate 80 bpm or below
- \Box 1 = pulse rate 80-100 bpm
- \Box 2 = pulse rate 101–120 bpm
- \Box 3 = pulse rate greater than 120 bpm

Sweating

- $\Box 0 =$ no report of chills or flushing
- \Box 1 = subjective report of chills or flushing
- \Box 2 = flushed or observable moistness on face
- \Box 3 = beads of sweat on brow or face
- \Box 4 = sweat streaming off face

Restlessness during Assessment

- $\Box 0 = able to sit still$
- \Box 1 = reports difficulty sitting still, but is able to do so
- \Box 3 = frequent shifting or extraneous movements of legs/arms
- \Box 5 = unable to sit still for more than a few seconds

Pupil Size

- \Box 0 = pupils pinned or normal size for room light
- \Box 1 = pupils possible larger than normal for room light
- \Box 2 = pupils moderately dilated
- \Box 5 = pupils so dilated that only the rim of the iris is visible

Bone or Joint Aches

 $\Box 0 = \text{not present}$

 \Box 1 = mild diffuse discomfort

 \Box 2 = patient reports severe diffuse aching of joints/muscle

 \Box 4 = patient is rubbing joints or muscles and is unable to sit still because of discomfort

Runny Nose or Tearing

- $\Box 0 = \text{not present}$
- \Box 1 = nasal stuffiness or unusually moist eyes
- \square 2 = nose running or tearing
- \Box 4 = nose constantly running or tears streaming down cheeks

GI Upset

- \Box 0 = no GI symptoms
- \Box 1 = stomach cramps
- \square 2 = nausea or loose stool
- \Box 3 = vomiting or diarrhea
- \Box 5 = multiple episodes of diarrhea or vomiting

Tremor

- $\Box 0 =$ no tremor
- \Box 1 = tremor can be felt but not observed
- \square 2 = slight tremor observable
- \Box 4 = gross tremor or muscle twitching

Yawning

- $\Box 0 =$ no yawning
- \Box 1 = yawning once or twice during assessment
- \Box 2 = yawning three or more times during assessment
- \Box 4 = yawning several times per minute

Anxiety or Irritability

- $\Box 0 =$ none
- \Box 1 = patient reports increasing irritability or anxiousness
- \Box 2 = patient obviously irritable/anxious
- \Box 4 = patient so irritable or anxious that participation in the assessment is difficult

Gooseflesh Skin

- $\Box 0 =$ skin is smooth
- \Box 3 = piloerection of skin can be felt or hairs standing up on arms
- \Box 5 = prominent piloerection

Total Score

Score: 5 - 12 = Mild13 - 24 = Moderate

25 - 36 = Moderately Severe

More than 36 = Severe Withdrawal

□ Patient presents for second initiation/re-evaluation

Evaluated using COWS scale?
 Yes
 No

Scored_____on COWS Scale Second Assessment

Patient self-administered _____mg sublingually as prescribed

 \Box Assessed and instructed patient in proper administration

 \Box Patient observed to tolerate medication

□ Patient presents for subsequent induction/re-evaluation

Evaluated using COWS scale?
Yes
No

Scored_____on COWS Scale Second Assessment

Patient self-administered_____mg sublingually as prescribed

□ Assessed and instructed patient in proper administration □ Patient observed to tolerate medication